



















ACCESSORIES

Distribution accessories

	Code	Description	Minimum order
		Straight fitting (profi-air tunnel to profi-air classic)	
	TKWMVHR78313223	from 132 x 52 mm to DN 75 duct - (1)	1 pz
	TKWMVHR78313224	from 132 x 52 mm to DN 90 duct - (1)	1 pz
	TKWMVHR78313225	from DN 90 manifold to 132 x 52 mm - (2)	1 pz
		90° angle fitting (profi-air tunnel to profi-air classic)	
	TKWMVHR78313226	from 132 x 52 mm to DN 75 duct	1 pz
	TKWMVHR78313227	from 132 x 52 mm to DN 90 duct	1 pz
		PE-HD 90° angle diffuser for round grilles	
	TKWMVHR78313280	Single version, 1 x 132 x 52 mm - (1)	1 pz
	TKWMVHR78313282	Double version, 2 x 132 x 52 mm - 1 blind plug included - (2)	1 pz
		PE-HD straight diffuser for round grilles	
	TKWMVHR78313281	132 x 52 mm / Single version	1 pz
		PE-HD 90° angle diffuser for rectangular grilles	
	TKWMVHR78313285	132 x 52 mm / Discontinued version	1 pz
		Double 90° angle diffuser (flat duct => rectangular grille)	
	TKWMVHR78313286	2 x 132 x 52mm => 317 x 84mm	1 pz
		Triple 90° angle diffuser (round duct => rectangular grille)	
	TKWMVHR78300386	3 x 63 / 75 / 90 mm => 317 x 84mm Fornito con due tappi a corredo	1 pz
		Extension for double tunnel and triple classic diffuser	
	TKWMVHR78300086	Extension for 317 x 84 mm diffuser	1 pz
		Flat manifold	
	TKWMVHR78313005	5 x 132 x 52 mm, 2 x 163 x 68 (oval)	1 pz

**MVHR**Maximum air quality
in residential environment










	Code	Description	Minimum order
	TKWMVHR78316073	Concrete preparation template 2 x DN 160	1 pz
	TKWMVHR78316072	Manifold connection DN 160	1 pz
	TKWMVHR78316071	Inspection cap DN 160	1 pz
	TKWMVHR78316424	PE-HD straight double fitting (unit ducting for internal distribution) from 2 x 163 x 68 (oval) to DN 160	1 pz
	TKWMVHR78316425	PE-HD straight single fitting from 163 x 68 (oval) to DN 125	1 pz
	TKWMVHR78316401	ABS duct in 1.15 m bars 163 x 68 mm (oval)	4 pz
	TKWMVHR78316440	PE-HD vertical 90° bend 163 x 68 mm (oval)	1 pz
	TKWMVHR78316441	PE-HD horizontal 90° bend 163 x 68 mm (oval)	1 pz
	TKWMVHR78316410	PP connecting joint with sealing gaskets 163 x 68 mm (oval)	5 pz

ACCESSORIES

Distribution accessories










	Code	Description	Minimum order
		Flat duct (Tunnel)	
	TKWMVHR78313201	Flat duct in 3 m bars	12 m
		Corrugated ducts with HY (hygiene) antibacterial and antistatic certification	
	TKWMVHR78375805	CLASSIC GREY coil DN 75 L=50M	50 m
	TKWMVHR78390805	CLASSIC GREY coil DN 90 L=50M	50 m
		PE-HD connecting joint	
	TKWMVHR78375310	DN 75	1 pz
	TKWMVHR78390310	DN 90	1 pz
		Sealing O-ring	
	TKWMVHR78375375	DN 75	10 pz
	TKWMVHR78390375	DN 90	10 pz
		Blind plug in TP with removal grip	
	TKWMVHR78375371	DN 75 mm	5 pz
	TKWMVHR78390371	DN 90 mm	5 pz
		Flexible duct	
	GT12IANP000162	Sound-absorbing aluminium flexible duct DN 160, polyester insulated 25 mm thick - pack 10 m	10 m
		Flexible duct	
	GTSANIANP000162	Antibacterial soundproof flexible duct DN 160 in polyester-insulated aluminium - pack 10 m	10 m
		Insulated SILENT BOX plenum	
	TKWMVHR05P7101T	SILENT BOX PLUS Dim. 233X230X350 4 VIE	1 pz
	TKWMVHR05P7102T	SILENT BOX PLUS Dim. 333X230X350 6 VIE	1 pz
	TKWMVHR05P7103T	SILENT BOX PLUS Dim. 533X230X350 10 VIE	1 pz
		Flexible circular silencer	
	SCF00000000500	Flexible silencer DN 160 L 500	1 pz
	SCF00000001000	Flexible silencer DN 160 L 1000	1 pz

**MVHR**Maximum air quality
in residential environment










	Code	Description	Minimum order
		PE-HD 90° bend	
	TKWMVHR78375341	DN 75 - F/F convertible to M/F	1 pz
	TKWMVHR78390341	DN 90 - F/F convertible to M/F	1 pz
		PE-HD 90° angle plus diffuser for round grilles	
	TKWMVHR78375381	2 x DN 75 / DN 125 - (2)	1 pz
	TKWMVHR78375382	2 x DN 75 / DN 125 - corto - (1)	1 pz
	TKWMVHR78390381	2 x DN 90 / DN 125 - (2)	1 pz
	TKWMVHR78390382	2 x DN 90 / DN 125 - corto - (1)	1 pz
	TKWMVHR78312086	Ø125	1 pz
	TKWMVHR78300081	DN 125	1 pz
		Thermally and acoustically insulated steel manifold for round ducts, supplied pre-drilled with closing plugs, usable both straight and at 90° (double starting plate)	
	TKWMVHR78316006	5+5 x DN 63/75/90, 1x DN 160, 7 tappi	1 pz
	TKWMVHR78316011	10+10 x DN 63/75/90, 1x DN 160, 14 tappi	1 pz
		Thermally insulated steel manifold for round ducts, supplied pre-cut with UVC lamp housing hole, front outlets with inspection hatch	
	TKWMVHR88316007	6 x DN 63/75/90, 1x DN 160	1 pz
	TKWMVHR88316009	8 x DN 63/75/90, 1x DN 160	1 pz
	TKWMVHR88316011	10 x DN 63/75/90, 1x DN 160	1 pz
	TKWMVHR78300321	DN 80	1 pz
		PE-HD manifold coupling with sealing gaskets	
	TKWMVHR78375321	DN 75 - inner DN 80	1 pz
	TKWMVHR78390321	DN 90 - inner DN 80	1 pz
	TKWMVHR78300001	DN 80 mm	1 pz

ACCESSORIES

Distribution accessories










	Code	Description	Minimum order
		Dynamic air flow regulator (internal regulation devices in manifolds)	
	TKWMVHR78300015	DN 80 mm / 15 m ³ /h	1 pz
	TKWMVHR78300002	DN 80 mm / 5 m adjustment position ³ /h air flow rate 20 - 50 m ³ /h	1 pz
		Static air flow regulator (internal regulation devices in manifolds)	
	TKWMVHR78300005	DN 80 / 10 adjustment positions	1 pz
		Membrane air flow regulator	
	KVRR0800000000	DN 80 / Constant flow membrane regulator	1 pz
		Balancing damper	
	SRC00000080200	balancing damper DN 80 mm	1 pz
		White perforated wall extract/supply grille	
	88312635	DN 125 MM, filter and regulator accessories available	1 pz
		Extract air filter	
	78312692	COMPACT filter, wall/ceiling/floor, black	5 pz
		Kitchen extract air grease and oil filter	
	78312693	COMPACT filter, wall/ceiling, silver	1 pz
		COMPACT air flow regulator for installation in COMPACT mounting frame	
	78312001	DN 125	1 pz
		Adjustable round white steel supply valve	
	78312610	DN 125, mounting bracket included	1 pz

**MVHR**Maximum air quality
in residential environment

	Code	Description	Minimum order
		Adjustable round white steel extract valve	
	78312620	DN 125, mounting bracket included	1 pz
		Adjustable round white ABS extract/supply valve	
	78312630	DN 125 spring fixing	1 pz
		Filter for round valves	
	78312650	DN 125, G3	5 pz
		Steel grille for rectangular extract/supply vents	
	TKWMVHR78300640	350x130mm, wall/ceiling/floor, stainless steel finish	1 pz
	TKWMVHR78300645	350x130mm, wall/ceiling/floor, white finish	1 pz
		White perforated wall extract/supply grille	
	TKWMVHR88300645	350x130mm, white finish	1 pz
		White punched wall extract/supply grille	
	TKWMVHR88300646	350x130mm, white finish	1 pz
		Extract air filter	
	TKWMVHR78300692	Filter, wall/ceiling/floor, black	5 pz
		Fixed-blade grilles	
	BMF00002000100	Aluminium fixed horizontal bar supply/extract grille 200x100	1 pz
	BMF00002500100	Aluminium fixed horizontal bar supply/extract grille 250x100	1 pz
	BMF00003500150	Aluminium fixed horizontal bar supply/extract grille 350x150	1 pz
		Double-row supply grilles also available in RAL 9016 with code BMB	
	BMA2V002000100	Double-row aluminium blade grille 200x100	1 pz
	BMA2V002500100	Double-row aluminium blade grille 250x100	1 pz
	BMA2V003500150	Double-row aluminium blade grille 350x150	1 pz

ACCESSORIES

Distribution accessories

	Code	Description	Minimum order
	Two-slot aluminium linear diffusers		
	TDLA1D00000500	L500, with deflectors	1 pz
	TDLA1D00001000	L1000, with deflectors	1 pz
	TDLA1D00001500	L1500, with deflectors	1 pz
	Circular stamped grille		
	TDLA2D00000500	L500, with deflectors	1 pz
	TDLA2D00001000	L1000, with deflectors	1 pz
	TDLA2D00001500	L1500, with deflectors	1 pz
	Circular stamped grille		
	BDMC0000000160	Outdoor stamped grille with aluminium insect screen DN 160	1 pz
	Two-slot aluminium linear diffusers		
	TDLA1D00000500	L500, with deflectors	1 pz
	TDLA1D00001000	L1000, with deflectors	1 pz
	TDLA1D00001500	L1500, with deflectors	1 pz
	Circular stamped grille		
	TDLA2D00000500	L500, with deflectors	1 pz
	TDLA2D00001000	L1000, with deflectors	1 pz
	TDLA2D00001500	L1500, with deflectors	1 pz
	Three-slot aluminium linear diffusers		
	TDLA3D00000500	L500, with deflectors	1 pz
	TDLA3D00001000	L1000, with deflectors	1 pz
	TDLA3D00001500	L1500, with deflectors	1 pz
	Single-slot RAL 9016 white linear diffusers		
	TDLB1D00000500	L500, with deflectors	1 pz
	TDLB1D00001000	L1000, with deflectors	1 pz
	TDLB1D00001500	L1500, with deflectors	1 pz
	Two-slot RAL 9016 white linear diffusers		
	TDLB2D00000500	L500, with deflectors	1 pz
	TDLB2D00001000	L1000, with deflectors	1 pz
	TDLB2D00001500	L1500, with deflectors	1 pz
	Three-slot RAL 9016 white linear diffusers		
	TDLB3D00000500	L500, with deflectors	1 pz
	TDLB3D00001000	L1000, with deflectors	1 pz
	TDLB3D00001500	L1500, with deflectors	1 pz

**MVHR**Maximum air quality
in residential environment

	Code	Description	Minimum order
	BUSINESS decorative grille		
	TKWMVHR78300660	SHAPE BUSINESS, pure white glass, 350 x 130 x 6 mm	1 pz
	TKWMVHR78312660	SHAPE COMPACT, pure white glass, Ø160 mm, 6 mm* *extract only	1 pz
	SHAPE decorative grille		
	TKWMVHR78300661	SHAPE STYLE, pure white glass, 350x130x6 mm	1 pz
	TKWMVHR78312661	SHAPE CIRCLE, pure white glass, Ø160 mm, 6 mm* *extract only	1 pz
	LINE decorative grille		
	TKWMVHR78300662	LINE, white (RAL 9016), 350x130x1.5 mm	1 pz
	TKWMVHR78312662	LINE COMPACT, white (RAL 9016), 160x160x1.5 mm	1 pz
	SHAPE decorative grille		
	TKWMVHR78300663	LINE, satin stainless steel, 350x130x1.5 mm	1 pz
	TKWMVHR78312663	LINE COMPACT, satin stainless steel, 160x160x1.5 mm	1 pz
	PYRAMID decorative grille		
	TKWMVHR78300664	PYRAMID, white (RAL 9016), 350x130x1.5 mm	1 pz
	TKWMVHR78312664	"PYRAMID COMPACT, white (RAL 9016), 160x160x1.5 mm"	1 pz
	PYRAMID decorative grille		
	TKWMVHR78300665	PYRAMID, dark rust bronze, 350x130x1.5 mm	1 pz
	TKWMVHR78312665	PYRAMID COMPACT, dark rust bronze, 160x160x1.5 mm	1 pz
	AVANTGARDE decorative grille		
	TKWMVHR78300666	AVANTGARDE, white (RAL 9016), 350x130x1.5 mm	1 pz
	TKWMVHR78312666	"AVANTGARDE COMPACT, white (RAL 9016), 160x160x1.5 mm"	1 pz
	AVANTGARDE decorative grille		
	TKWMVHR78300667	AVANTGARDE, satin stainless steel, 350x130x1.5 mm	1 pz
	TKWMVHR78312667	AVANTGARDE COMPACT, satin stainless steel, 160x160x1.5 mm	1 pz
	FLORA decorative grille		
	78300668	FLORA, white (RAL 9016), 350x130x1.5 mm	1 pz
	78312668	FLORA COMPACT, white (RAL 9016), 160x160x1.5 mm	1 pz
	FLORA decorative grille		
	78300669	FLORA, anthracite, 350x130x1.5 mm	1 pz
	78312669	FLORA COMPACT, anthracite, 160x160x1.5 mm	1 pz

ACCESSORIES

Distribution accessories

	Code	Description	Minimum order
	TKWMVHR78300670	HORIZON, white pure glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312670	TWIST COMPACT, white pure glass, 160x160x5.5 mm	1 pz
Decorative grille in powder blue glass			
	TKWMVHR78300671	HORIZON, powder blue glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312671	TWIST COMPACT, powder blue glass, 160x160x5.5 mm	1 pz
Decorative grille in light brown glass			
	TKWMVHR78300672	HORIZON, light brown glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312672	TWIST CIRCLE, light brown glass, Ø160, 5.5 mm	1 pz
Decorative grille in black & white glass			
	TKWMVHR78300673	HORIZON, black & white glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312673	TWIST COMPACT, black & white glass, 160x160x5.5 mm	1 pz
	TKWMVHR78312674	TWIST CIRCLE, black & white glass, Ø160, 5.5 mm	1 pz
Decorative grille in satin white pure glass			
	78300675	STRIPES, satin white pure glass, 350x130x5.5 mm	1 pz
	78312675	TWIST CIRCLE, satin white pure glass, Ø160, 5.5 mm	1 pz
Decorative grille in satin black glass			
	TKWMVHR78300676	STRIPES, satin black glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312676	TWIST COMPACT, satin black glass, 160x160x5.5 mm	1 pz
CROSS decorative grille in satin white pure glass			
	TKWMVHR78300677	CROSS, satin white pure glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312677	CROSS CIRCLE, satin white pure glass, Ø160, 5.5 mm	1 pz
CROSS decorative grille in satin bronze glass			
	TKWMVHR78300678	CROSS, satin bronze glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312678	CROSS CIRCLE, satin bronze glass, Ø160, 5.5 mm	1 pz
CROSS decorative grille in blue-gray glass			
	TKWMVHR78300679	CROSS, blue-gray glass, 350x130x5.5 mm	1 pz
	TKWMVHR78312679	CROSS CIRCLE, blue-gray glass, Ø160, 5.5 mm	1 pz
CROSS decorative grille in blue-gray glass			
	TKWMVHR78300695	Mounting frame, wall/floor, black, 317x84mm	1 pz
	TKWMVHR78312695	COMPACT plus mounting frame, black, on all DN 125 mm outlets, 35 mm	1 pz

**MVHR**Maximum air quality
in residential environment

	Code	Description	Minimum order
		Stainless steel floor mounting frame for starline plus rectangular grilles	
	TKWMMVHR78300699	Height-adjustable, filter flow and static regulator flow. 350x130x50 mm Floor mounting. Black, AVANTGARDE and LINE grilles only	1 pz 1 pz
		Extract air filter	
	TKWMMVHR78300692	Filter, wall/ceiling/floor, black	5 pz
	TKWMMVHR78312692	COMPACT filter, wall/ceiling/floor, black	5 pz
		Kitchen extract air grease and oil filter	
	TKWMMVHR78300693	Filter, wall/ceiling, silver	1 pz
	TKWMMVHR78312693	COMPACT filter, wall/ceiling, silver	1 pz
		Static air flow regulator	
	TKWMMVHR78312001	9 adjustment holes	1 pz
	TKWMMVHR78300007	COMPACT, DN 125, 7 adjustment holes	1 pz
		Stainless steel external wall grille	
	TKWMMVHR78312174	DN 125 mm, stainless steel	1 pz
	TKWMMVHR78312176	DN 125 mm, white steel	1 pz
	TKWMMVHR78316174	DN 160 mm, stainless steel	1 pz
	TKWMMVHR78316176	DN 160 mm, white steel	1 pz
	TKWMMVHR78318174	DN 180 mm, stainless steel	1 pz
	TKWMMVHR78318176	DN 180 mm, white steel	1 pz
		Stainless steel external wall grille with deflector shell	
	TKWMMVHR88312170	DN 125 mm	1 pz
	TKWMMVHR88315170	DN 150 mm	1 pz
	TKWMMVHR88316170	DN 160 mm	1 pz
	TKWMMVHR88318170	DN 180 mm	1 pz
	TKWMMVHR88320170	DN 200 mm	1 pz
		Steel roof tile for flat roof terminal	
	TKWMMVHR78316180	DN 160/180 mm	1 pz
		PVB roof tile for sloped roof terminal with adjustable inclination	
	TKWMMVHR78316184	25° => 55° DN 160/180 mm	1 pz
		Insulated stainless steel roof terminal	
	TKWMMVHR78300175	DN 160/180 mm, black	1 pz